

Safety Data Sheet

Print date: 09/06/2017

Revision date: 10/10/2017

1. Product and Company Identification

Product Name: Spray & Wipe

Product Number: MCS235

Product Use: Multi-Purpose Cleaner

Supplier: MSC Sanitation LTD. **Manufacturer:** MSC Sanitation LTD.

9266 Main Street 9266 Main Street

Richibucto, NB, E4W 4C7 Richibucto, NB, E4W 4C7

Canada Canada

Telephone: +1 506-523-4311

Emergency Telephone Number: 613-996-6666 (CANUTEC)

2. Hazards Identification

WHMIS Classification

D2B Toxic Material Causing Other Toxic Effect

E Corrosive Material

GHS Classification

Skin Corrosion/Irritation (Sub-Category 1B)

Serious Eye Damage (Category 1)

Carcinogenicity (Category 2)

GHS Label elements, Including Precautionary Statement



Pictogram

Signal word Danger

Page 1 of 9

Hazard Statement(s)

H314 Cause severe skin burns and eye damage

H351 Suspected of causing cancer

Precautionary Statement(s)

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

HMIS Classification

Health Hazard: 3

The Flammability: 0

Physical Hazard: 0

Potential Health Effects

Skin: May be harmful if absorbed through skin. Causes skin burns.

Eyes: Cause severe eye burns.

Ingestion: May be harmful if swallowed.

Inhalation: May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous

membranes and upper respiratory tract.

3. Composition/Information on Ingredients

Chemical Characterization: Mixture

Description: Aqueous mixture

Hazardous ingredients:

CAS No.	Description	Concentration (m/m)	
6834-92-0	Disodium Metasilicate	2-3%	
68603-42-9	Cocamide DEA	0-1%	
111-42-2	Diethanolamine	0-1%	

4. First Aid Measures

General Advice

If breathed in, move person into fresh air. If not breathing, give artificial

respiration. Consult a physician.

In case of skin contact: Take off contaminated clothing and shoes immediately. Wash off with

soap and plenty of water. Consult a physician.

In case of eye contact: Rinse thoroughly with plenty of water for at least 15 minutes and

consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed: Do NOT induce vomiting. Never give anything by mouth to an

unconscious person. Rinse mouth with water. Consult a physician.

5. Firefighting Measures

Conditions of Flammability

Not flammable or combustible.

Suitable Extinguishing Media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special Protective Equipment for Firefighters

Wear self-contained breathing apparatus for firefighting.

Hazardous Combustion Product

Hazardous decomposition products formed under fire conditions. -Carbon oxides, Nitrous oxides.

Explosion Data - Sensitivity to Mechanical Impact

No data available

Explosion data – Sensitivity to Static Discharge

No data available

6. Accidental Release Measures

Personal Precautions

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

Environmental Precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and Materials for Containment and Cleaning Up

Soak up with inert absorbent material ad dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

7. Handling and Storage

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Conditions for Safe Storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

8. Exposure controls/Personal Protection

Components with Workplace Control Parameters

Components	CAS-No.	Value	Control	Basis
			Parameters	
Diethanolamine	111-42-2	TWA	15mg/m3	NIOSH/guide
		TWA	1mg/m3	ACGIH

Personal Protective Equipment

Respiratory Protection

In the case of vapour formation use a respirator with an approved filter.

Hand Protection

Handle with suitable gloves. PVC or rubber gloves.

Eye Protection

Tightly fitting safety goggles.

Skin and Body Protection

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene Measure

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and after handling the product.

9. Physical and Chemical Properties

Appearance

Form: Liquid

Colour: Yellow

Safety Data

pH: 12.0-13.0

Melting Point: Not available

Boiling point: 103°C

Flash Point: Not available

Ignition Temperature: Not available

Lower Explosion Limit: Not available

Upper Explosion Limit: Not available

Vapour Pressure: Not available

Density: 1.02 g/ml

Water Solubility: Completely miscible, soluble

Viscosity, Dynamic: Not available

10. Stability and Reactivity

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

No data available.

Materials to Avoid

Acids, strong oxidizing agents, aluminium, zinc, copper.

Hazardous Decomposition Products

Carbon oxides, Nitrous oxides.

11. Toxicological Information

Acute Toxicity

Oral LD50: Not available

Dermal LD50: Not available

Inhalation LC50: Not available

Skin Irritation : Not available

Eye Irritation : Not available

Respiratory Sensitization: Not available

Carcinogenicity: Cocamide DEA (CAS 68603-42-9)

IARC: 2B: Possibly carcinogenic to humans.

Diethanolamine (CAS 111-42-2)

IARC: 2B: Possibly carcinogenic to humans.

The Teratogenicity: Not available

Reproductive Toxicity: Not available

Specific Organ Toxicity

Single Exposure: Not available

Specific Organ Toxicity

Repeated Exposure: Not available

Aspiration Toxicity: Not available

Components Influencing Toxicology

Disodium Metasilicate(CAS.-No.: 6834-92-0)

Oral LD50: 1152-1349 mg/kg

Species: Rats

Inhalation LD50: >2.06 mg/l

Species: Rats

Dermal LD50: >5000 mg/kg

Species: Rats

Skin corrosion/irritation: Corrosive

Eye damage/eye irritation: Corrosive

Diethanolamine (CAS.-No.: 111-42-2)

Eye damage/eye irritation: Risk of serious damage to eyes

Species: Rabbit

Method: OECD Test Guideline 405

Carcinogenicity: Diethanolamine (CAS 111-42-2)

IARC: 2B: Possibly carcinogenic to humans.

Specific Organ Toxicity

Repeated Exposure: Anemia, Kidney, Liver

Species: Rats (anemia, kidney), mice (kidney, liver)

12. Ecological Information

Toxicity: Not available

Persistance and Degradability: Not available

Bioaccumulative Potential: Not available

Mobility in Soil: Not available

Other Adverse Effects: Not available

13. Disposal Consideration

Further Information

Dispose of in accordance with local regulations. Contact waste disposal services.

Contaminated Packaging

Dispose of as unused product.

14. Transport Information

TDG

UN Number: UN3267

Proper Shipping Name: Corrosive liquid, basic, organic, N.O.S (Disodium Metasilicate)

Transport Hazard Class: 8

Packing Group: III

DOT

UN Number: UN3267

Proper Shipping Name: Corrosive liquid, basic, organic, N.O.S (Disodium Metasilicate)

Transport Hazard Class: 8

Packing Group: III

Special Precautions

Not applicable

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

15. Regulatory Information

WHMIS Classification

D2B Toxic Material Causing Other Toxic Effect

E Corrosive Material

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

16. Other Information

MCS Sanitation LTD. Believes that the data, technical information and recommendation contained in this document are accurate; however, this information is provided without making any warranty, expressed or implied, and we assume no responsibility whatsoever for any damages or losses resulting from their use of the designated product. Use of this product should be restricted to qualified personnel.

Print date: 09/06/2017

Revision date: 10/10/2017